

## 6. REFERENCIAS

Dados de combustíveis:

<http://www.anp.gov.br/?pg=57405&m=&t1=&t2=&t3=&t4=&ar=&ps=&cachebust=1314127753692> Acessado agosto de 2011 22

ALTSHULLER, A.P. Estimating product yields of carbon-containing products from the atmospheric photooxidation of ambient air alkenes. **Journal of Atmospheric Chemistry.** 13, 131-154, 1991a. (Altshuller, 1991a)

ALTSHULLER, A.P. Chemical reactions and transport of alkanes and their products in the troposphere. **Journal of Atmospheric Chemistry.** 12, 19-61, 1991b. (Altshuller, 1991b)

ALTSHULLER, A.P. Production of aldehydes as primary emissions and from secondary atmospheric reactions of alkenes and alkanes during the night and early morning hours. **Atmospheric Environment.** 27A, 21-32, 1993. (Altshuller, 1993)

ANDERSON, L.G., LANNING, J.A., BARRELL, R., MIYAGISHIMA, J., JONES, R.H., WOLFE, P. Sources and sinks of formaldehyde and acetaldehyde: Analysis of Denver's ambient concentration data. **Atmospheric Environment** 30, 2113-2123, 1996.

ATKINSON, R.; BAULCH, D.L.; COX, R. A, HAMPSON, Jr., R.F.; KERR, J.A & TROE,J. Evaluated Kinetic and Photochemical Data for Atmospheric Chemistry: Supplement III, **J. Phys. Chem. Ref. Data**, v.18, n.2, p.881-1108 (1989)

ATKINSON, R. Gas-phase tropospheric chemistry of organic compounds: a review. **Atmospheric Environment**, v.24 A, n.1, p. 1-41, 1990.

ATKINSON, R. Gas phase tropospheric chemistry of volatile organic compounds: I. Alkanes and alkenes. **Journal of physics and Chemistry**. 26, 215-290, 1997. (Atkinson, 1997)

ATKINSON, R. Atmospheric chemistry of VOCs and NOx. **Atmospheric Environment**. 34, 2063-2101, 2000. (Atkinsons, 2000)

BABICH, H. & STOTZKY, G. (1974), Air Pollution and Microbial Ecology, **CRC Critical Reviews in Environmental Control**, v.4, I.3, p.353-421

BAKEAS, E.B., ARGYRIS, D.I., SISKOS, P.A. Carbonyl compounds in the urban environment of Athens, Greece. **Chemosphere**. 52, 805-813, 2003. (Bakeas *et al*, 2003)

CANELA, A.M. & MUEHLEISEN, H. (1988), Application of Headspace Gas Chromatography to the Measurement of Organic Emissions, **J. of Chromatography**, v. 456, p.241-249

CARLIER, P., HANNACHI, H., MOUVIER, G. The chemistry of carbonyl compounds in the atmosphere. **Atmospheric Environment**. 20, 2079-2099, 1986. (Carlier *et al*, 1986).

CARTER, W.P.L. Development of ozone reactivity scales for volatile organic compounds. **Atmospheric environment**. 24A, 481-518, 1994. (Carter, 1994)

CAVANAGH, L.A.; SCHADT, C.F. & ROBINSON, E. (1969), Atmospheric Hydrocarbon and Carbon Monoxide Measurements at Point Barrow, Alaska, **Environ. Sci. Technol.**, v.3, p.251-257

CEPA - CALIFORNIA ENVIRONMENTAL PROTECTION AGENCY. Air Resources board, stationary Source Divisions, Sacramento, CA, USA, 1993

CETESB (1990), Pesquisa de Combustíveis com Metanol. Relatório Final (julho 1990), Diretoria de Desenvolvimento de Programas e Mobilização, CETESB, S.Paulo, Brasil

CHEUNG, C.S.; ZHU, L.; HUANG, Z. Regulated and unregulated emissions from a diesel engine fueled with biodiesel and biodiesel blended with methanol. **Atmospheric Environment.** 43: 4865-4872, 2009. (Cheung *et al*, 2009)

COMITEE ON ALDEHYDE, NATIONAL RESEARCH COUNCIL. Formaldehyde and other aldehydes. National Academy Press: Washington DC, 1981 p 340

CORREA, S.; ARBILLA, G.; MONTEIRO, E.; QUITÉRIO, S; DE SOUZA, C.; GATTI, L. Five years of formaldehyde and acetaldehyde monitoring in the Rio de Janeiro downtown área – Brazil. **Atmospheric Environment.** 44: 2302-2308, 2010

CORSEUIL HX *et al*; **Wat Res** 32: 2065-72 (1998)

DAUBERT T.E. & DANNER R.P.; Physical and Thermodynamic Properties of Pure Chemicals Data Compilation Washington, DC: **Taylor and Francis** (1989)

de OLIVEIRA, A. E.; de ANDRADE, J. B.; **Quim. Nova** 1994, 17, 13.

de ANDRADE,J.B.; ANDRADE, M.V. & PINHEIRO, H.L.C. (1998), Atmospheric levels of formaldehyde and acetaldehyde and their relationship with the vehicular fleet composition in Salvador, Bahia, Brazil, **J. Braz. Chem. Soc.**, v. 9, n.3, p.219-223

de ANDRADE, M.V., PINHEIRO, H.J.C., PEREIRA, P.A., de ANDRADE, J.B. Compostos carbonílicos atmosféricos: fontes, reatividade, níveis de

concentração e efeitos toxicológicos. **Química nova.** 25 No. 6B. 1117-1131, 2002.

EPA - ENVIRONMENTAL PROTECTION AGENCY. Interagency assessment of oxygenated fuels: executive summary.USA. July. 1997. Disponível em: <<http://www.epa.gov/oms/regs/fuels/ostpfin.pdf>>. Acesso em: 2 Fev. 2011.WF

EPA - ENVIRONMENTAL PROTECTION AGENCY. Method TO-11A Formaldehyde, Compendium of Methods for Toxic Organic Air Pollutants January 1999

FEHSENFELD, F.; CALVERT, J.; FALL, R.; GOLDAN, P.; GUENTHER, A.B.; HEWITT, C.N.; LAMB, B.; LIU, S.; TRAINER, M.; WESTBERG, H. & ZIMMERMAN, P. (1992), Emissions of Volatile Organic Compounds from Vegetation and the Implications for Atmospheric Chemistry, **Global Biogeochemical Cycles**, v.6, n.4, p.389-430

FINLAYSON-PITTS,B.J. & PITTS Jr.,J.N. (1993a), Atmospheric Chemistry of Tropospheric Ozone Formation: Scientific and Regulatory Implications, **Air & Waste**, v.43, August, p.1091-1100

FINLAYSON-PITTS,B.J. & PITTS Jr, J.N. (1993b), Volatile Organic Compounds: Ozone Formation, Alternative Fuels and Toxics, **Chemistry & Industry** (London),v.18 (Oct.), p.796-800

FINLAYSON-PITTS, B.J., PITTS, J.N. Tropospheric air pollution: ozone, airborne toxics, polycyclic aromatic hydrocarbons, and particles. **Science** 276, 1045-1052. 1997. (Finlayson-Pitts and Pitts, 1997)

FUKUI, Y. & DOSKEY, P. V. (1996), An Enclosure Technique for Measuring Non methane Organic Compound Emissions from Grasslands, **J. Environ. Qual.**, v.25, p.601- 610

GAFFNEY JS *et al*; **Environ Sci Technol** 21: 519-23 (1987)

GAFFNEY, J.S., MARLEY, N.A., MARTIN, R.S., DIXON, R.W., REYES, L.G., POPP, C.J. Potential air quality effects of using ethanol-gasoline fuel blends: a field study in Albuquerque, New Mexico. **Environmental science and Technology**. 31, 3053-3061, 1997. (Gaffney et al, 1997).

GOLDAN, P.D.; KUSTER, W.C. & FEHSENFELD, F.C. (1997), Nonmethane Hydrocarbon Measurements During the Tropospheric OH Photochemistry Experiment, **J. of Geophys. Res.**, v.102,.D5, p.6315-6324

GRAEDEL, T.E. Chemical compounds in the atmosphere. New York: Academic Press, 1978

GRANBY, K. & CHRISTENSEN, C. Urban and semi-rural observations of carboxylic acids and carbonyls. **Atmospheric Environment**, v. 31, Issue 10, p.1403-1415, 1997.

GROSJEAN, D. Formaldehyde and other carbonyls in Los Angeles ambient air. **Environmental Science and Technology**, v.16, p.254-262, 1982.

GROSJEAN, D.; Swanson, R. D.; Ellis, C.; **Sci. Total Environ.** 1983, 29, 65.

GROSJEAN, D.; MIGUEL, A.H. & TAVARES, T.M. (1990), Urban Air Pollution In Brazil: Acetaldehyde and Other Carbonyls, **Atmosph. Environ.** v. 24B, p.101-106

GROSJEAN, E.; WILLIAMS II, E. L.; GROSJEAN, D. **J. Air Waste Manage. Assoc.** 43, 469, 1993.

GROSJEAN, D. Atmospheric chemistry of alcohols. **Journal of the Brazilian Chemical Society**, v.8, p.433-442, 1997.

GROSJEAN,E.; GROSJEAN, D.; GUNAWARDENA, R. & RASMUSSEN, R. A. (1998a), Ambient Concentrations of Ethanol and Methyl tert-Butyl Ether in Porto Alegre, Brazil, March 1996-April1997, **Environ. Sci. Technol.**, v.32, p.736-742

GROSJEAN, E.; RASMUSSEN, R.A & GROSJEAN, D. (1998b), Ambient Levels of Gas Phase pollutants in Porto Alegre, Brazil, **Atmosph. Environ.**, v.32, n.20, p.3371-3379

GROSJEAN, D., GROSJEAN, E., MOREIRA, L.F.R., Speciated ambient carbonyls in Rio de Janeiro, Brazil. **Environmental Science Technology**. 36, 1389-1295, 2002. (Grosjean *et al*, 2002)

GUSHEE, D.E. (1992), Alternative Fuels for Cars: Are they Cleaner than Gasoline? Part 1, **CHEMTEC**, v.22, p. 406-411

HELMIG, D.; POLLOCK, W.; GREENBERG, J. & ZIMMERMAN, P. (1996), Gas Chromatography Mass Spectrometry Analysis of Volatile Organic Trace Gases at Mauna Loa Observatory, Hawaii, **J. of Geophysical Research**, v.101, D9, p.14697-14710

HOEKMAN, S.K. Speciated measurements and calculated reactivities of vehicle exhaust emissions from conventional and reformulated gasolines. **Environmental Science Technology**. 26, 1206-1216, 1992. (Hoekman, 1992)

HOLZER,G.; SHANFIELD,H.; ZLATKIS, A., BERTSCH, W.; JUAREZ,P.; MAYFIELD,H. & LIEBICH, H.M. (1977), Collection and Analysis of Trace Organic Emissions from Natural Sources, **J. of Chromatography**, v.143,p.755-764

HOWARD, P.H. (Edit) (1991). Handbook of environmental fate and exposure data for Organic Chemicals, 3<sup>rd</sup> printing, Lewis Publishers, USA, V. II-Solvents. (Howard, 1991)

IARC. Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man. Geneva: World Health Organization, International Agency for Research on Cancer, 1972-PRESENT. (Multivolume work). Disponivel em: <http://monographs.iarc.fr/index.php> p. 71 584 (1999)

JONSSON, A. & BERG, S. (1983), Determination of Low-Molecular-Weight Oxygenated Hydrocarbons in Ambient Air by Cryogradient Sampling and Two-Dimensional Gas Chromatography, **J. of Chromatography**, v. 279, p.307-322

KELLY, T.J.; CALLAHAN, P.J.; PELL, J. & EVANS, G.F. (1993), Method Development and Field Measurements for Polar Volatile Organic Compounds in Ambient Air, **Environ. Sci. Technol.**, v.27, p. 1146-1153

KESSELMEIER, J., KUHN, U., WOLF, A., ANDRAE, M.O., CICCIOLI, P., BRANCALEONI, E., FRATTONI, M., GUENTHER, A., GREENBERG, J., VASCONCELLOS, P.C., OLIVA, S.T., TAVARES, T.M., ARTAXO, P., Atmospheric Volatile Organic Compounds (VOC) at a Remote Tropical Forest Site in Central Amazonia. **Atmospheric Environment**, 34, 4063-4072, 2000

KESSELMEIER, J., KUHN, U., ROTTENBERGER, S., BIESENTHAL, T., WOLF, A., SCHEBESKE, G., ANDRAE, M.O., CICCIOLI, P., BRANCALEONI, E., FRATTONI, M., OLIVA, S. T, BOTELHO, M.L., SILVA, C.M.A. & TAVARES, T.M. Concentrations and Species Composition of Atmospheric Volatile Organic Compounds (VOC) as Observed During the Wet and Dry Season in Rondonia (Amazonia). **Journal of Geophysical Research – JGR**, 107, D20, 2002

KIRK OTHMER (1980), Encyclopedia of Chemical Technology, 3rd Ed, V.9 e V 15., John Wiley, USA.

KIRSTINE, W.; GALBALLY, I.; YE, Y & HOOPER, M. Emissions of volatile organic Compounds (primarily oxygenated species), from pastures, **J. of Geophysical Research**, v. 103, n. D9, p.10 605-10 619. 1998 (kirstine et al, 1998)

KUHN, U., ROTTENBERGER, S., BIESENTHAL, T., WOLF, A., SCHEBESKE, G., CICCIOLI, P., BRANCALEONI, E., FRATTONI, M., TAVARES, T.M. & KESSELMEIER, J., Isoprene and Monoterpene Emissions of Amazonian Tree Species During the Wet Season: Direct and Indirect Investigations on Controlling Environmental Functions. **Journal of Geophysical Research – JGR**, 107, D20, 8071, 2002

KUHN, U., ROTTENBERGER, S., BIESENTHAL, T., WOLF, A., SCHEBESKE, G., CICCIOLI, P., BRANCALEONI, E., FRATTONI, M., TAVARES, T.M. AND KESSELMEIER, J. Seasonal Differences in Isoprene and Light-dependent Monoterpene Emission by Amazonian Tree Species, **Global Change Biology** , 10, 663-682 ,2004

LANGER, S. & LJUNGSTRÖM, E. (1995), Rates of Reaction Between the Nitrate Radical and Some Aliphatic Alcohols, **J. Chem. Soc. Faraday Trans.**, v. 91, n.3, p.405-410

LEIBROCK, E. & SLEMR, J. (1997), Method for Measurement of Volatile Oxygenated Hydrocarbons in Ambient Air, **Atmosph. Environ.** v.31, n.20, p.3329-3339

LYMAN WJ et al; Handbook of Chemical Property Estimation Methods. Washington, DC: **Amer Chem Soc** pp. 4-9, 15-1 to 15-29 (1990)

MAEDA, Y.; FUJIO, Y.; SUETAKA, T. & MUNEMORI, M. (1988), Selective Gas Chromatographic Determination of Trace Amounts of Alcohols in Ambient Air, **Analyst**, v.113, n.1, p.189 -191

MARTINS, E.M., ARBILLA, G. Computer modeling study of ethanol and aldehydes reactivities in Rio de Janeiro urban air. **Atmospheric Environment**. 37, 1715-1722, 2003. (Martins and Arbilla, 2003)

MARTINS, E.M., ARBILLA, G., BAUERFELDT, G.F., PAULA, M. Atmospheric levels of aldehydes and BTEX and their relationship with vehicular fleet changes in Rio de Janeiro Urban area. **Chemosphere**. 67, 2096-2103, 2007. (Martins *et al*, 2007)

MARTINS, E.M., ARBILLA, G., GATTI, L.V. 2009, Volatile organic compounds in a residential and commercial urban area with diesel, compressed natural gas and oxygenated gasoline vehicular fleet. **Bulletin of environmental contamination and toxicology** available online. (Martins *et al*, 2009)

MEYLAN WM *et al*; **Environ Sci Technol** 26: 1560-67 (1992)

NGUYEN, H.T.; TAKENAKA, N.; BANDOW, H.; MAEDA, Y.; OLIVA, S.T.; BOTELHO, M.M.F.; TAVARES, T.M. Atmospheric alcohols and aldehydes concentration measured in Osaka, Japan and São Paulo, Brasil. **Atmospheric Environment**, v.35, n.18, p.3075- 3083, 2001.

OLIVA, S.T. Determinação de metanol e etanol na atmosfera urbana de Salvador por CG-DCE. 1998, 98f. Dissertação (Mestrado em Química) - Instituto de Química, Universidade Federal da Bahia, Salvador.

OLIVA, S.T.; BOTELHO, M.L.; PEREZ H.R.; AMARAL, C.M.; TAVARES, T.M. Determinação da concentração de formaldeído e acetaldeído na floresta Amazônica. In: REUNIÃO DA SOCIEDADE BRASILEIRA DE

QUÍMICA, 23., 2000, Poços de Caldas- MG, **Livro de Resumo....** São Paulo: SBQ, 2000. P.AB-088.

OLIVA, SERGIO TELLES. Estudos Atmosféricos de Formaldeido, acetaldeido e metanol na Floresta Amazonica. Tese de doutorado em Química Analítica. Universidade Federal da Bahia. Instituto de Química. Salvador, BA, 2006

PANG, X., XINQING, L. Temporal variations of atmospheric carbonyls in urban ambient air and street canyons of a Mountainous city in Southwest China. **Atmospheric Environment.** 44: 2098-2106 (2010)

PEREIRA, P.A. de P. (1997), Determinação de Metanol e Etanol Atmosféricos por Cromatografia Gasosa de Alta Resolução, após Coleta em Cartuchos Contendo Florisil, Tese de Doutorado, IQ/UFBA, Ba, Brasil

PEREIRA, P. A. P.; de ANDRADE, J. B.; **Quim. Nova** 1998, 21, 744.

PEREIRA, P.A. de P.; SANTOS, E. T. S.; FERREIRA, T. de F. & de ANDRADE, J. B. (1999), Determination of methanol and ethanol by gas chromatography following air sampling onto florisil cartridges and their concentrations at urban sites in the three largest cities in Brazil, **Talanta**, v. 49, p. 245-252

PIMENTEL, A. S.; ARBILLA, G.; **Quim. Nova** 1997, 20, 252.

POSSANZINI, M., DI PALO, V., PETRICCA, M., FRATARCANGELI, R., BROCCO, D. Measurements of Lower Carbonyls in Rome ambient air. **Atmospheric Environment.** 30, 3757-3764, 1996. (Possanzini et al, 1996).

POSSANZINI, M., DI PALO, V., CECINATO, A. Sources and photodecomposition of formaldehyde and acetaldehyde in rome ambienta ir. **Atmospheric Environment**. 36, 3195-3201, 2002. (Possanzini *et al*, 2002).

QIN, T.; XU, X.; POLAK,T.; PACAKOVA,V.; STULIK,K. & JECH, L. (1997a), A Simple Method for the Trace Determination of Methanol, Ethanol, Acetone and Pentane in Human Breath and in the Ambient Air by Preconcentration on Solid Sorbents Follwed by Gas Chromatogarphy, **Talanta**, v.44, p.1683-1690

QIN, T.; XU, X.B.; PACAKOVA, V. & STULIK, K. (1997b), GC Determination of Volatile Components in Human Exhalation and in Ambient Atmosphere, after Preconcentration on Solid Sorbents, **Chromatographia**, v.44,n. 11/12, p. 601-604

ROTTENBERGER, S., KUHN, U., WOLF, A., SCHEBESKE, G., OLIVA, S.T., TAVARES, T.M., KESSELMEIER, J., Exchange of volatile short-chain aldehydes between Amazonian vegetation and the atmosphere. **Ecological Applications** , 14(4) Supplement, S247-S262, 2004

SAX, N. IRVING; Dangerous Properties of Industrial Materials, 4th edition ; Van Nostrand Reinhold Company: **Princeton, New Jersey** p 908. 1975.

SCHADE, G.W.; GOLDSTEIN, A.H. Fluxes of oxygenated volatile organic compounds from a ponderosa pine plantation. **Journal of Geophysical Research D: Atmosphere**, v.106, n.3, p.3111-3123, 2001.

SCHILLING, M.; VOIGT, G.; TAVARES, T. & KLOCKOW, D. (1999), An Enzimatic – Fluorimetric Method for Monitoring of Ethanol in Ambient Air, **Fresenius J. Anal.Chem.**, v.364, p.100-105

SEINFELD, J.H., PANDIS, S.N. 2000. **Atmospheric Chemistry and physics-from air pollution to climate change.** Jonh wiley & Sons, New York, 1326 pp. 2000. (Seinfeld and Pandis, 2000)

SHEPSON, P. B.; HASTIE, D. R.; SCHIFF, H. I.; POLIZZI, M.; BOTTENHEIM, J. W.; ANLAUF, K.; MACKAY, G. I.; KARECKI, D. R.; **Atmos. Environ.** 1991, 25A, 2001.

SINGH, H.B.; KANAKIDOU, M.; CRUTZEN, P.J. & JACOB, D.J. High Concentrations and Photochemical Fate of Oxygenated Hydrocarbons in the Global Troposphere, **Nature**, v. 378, p.50-54, 1995

SLEMR, J.; JUNKERMANN, W. Temporal variations in formaldehyde, acetaldehyde and acetone and budget of formaldehyde at a rural site in southern Germany. **Atmospheric Environment**, v.30, n.21, p. 3667-367, 1996

SNIDER, J.R. & DAWSON,G.A. (1985), Tropospheric Light Alcohols, Carbonyls, and Acetonitrile: Concentrations in The South Western United States and Henry's Law Data, **Journal of Geophysical Research**,v.90,n..D2, p.3797-3805

SOLCI, M.C., NOMI, S..N., SAKUGAWA, H., TAKEDA, K. Formaldeido e acetaldeido atmosfericos no campus da Universidade de Hiroshima, Japao. Semina: **Ciencias Exatas e Teconlogicas**, Londrina, v 31, n1, 23-29, 2010

SWANN RL *et al*; **Res Rev** 85: 17-28 (1983)

TANNER, R.L. & MENG, Z. (1984), Seasonal Variations in Ambient Atmospheric Levels of Formaldehyde and Acetaldehyde, **Environ. Sci. Technol.**, v.18, n.9, p.723-726

TANNER, R. L.; MIGUEL, A. H.; de ANDRADE, J. B.; GAFFNEY, J. S. & STREIT, G. E. (1988). Atmospheric Chemistry of Aldehydes: Enhanced Peroxy-Acetyl Nitrate Formation from Ethanol-Fueled Vehicular Emissions. *Environ. Sci. Technol.*, v. 22, n. 9,p. 1026-1034

United Nations Environment Programme, International Labour Organization and World Health Organization. Formaldehyde, Environmental Health Criteria 89, Geneva, 1989, p.219. (**EHC 89**)

WANG, H.K., HUANG, C.H., CHEN, K.S., PENG, Y.P., LAI, C.H. Measurement and Source characteristics of carbonyl compounds in the atmosphere in Kaohsiung City, Taiwan. *Journal of Hazardous Materials*. 179: 1115-1121, 2010.

WHO/UNEP. Urban Air Pollution in Megacities of the World. World Health Organization, United Nations Environment Programme, Blackwell, Oxford, 1992

ZHOU, X.; MOPPER, K. *Environ. Sci. Technol.* 24, 1482. 1990